

Armonia Soft Plus

Armonia Soft Plus is defined by a 7 inch touch screen display, completely customizable depending on the user demands. Up to 30 drink selection can be loaded (max.10 per page), like coffee drinks, milk-based drinks, instant products and hot water. Users can upload movies, sounds or customised images per each single drink: Armonia Soft Plus is provided with loudspeaker. All machine parameters and settings are customizable and adjustable directly from the user interface.

Armonia Soft Plus is available in 2 models: Easy e LM, with many available configuration. Available also in Self configuration, perfect for offices and communities.

Armonia Soft Plus could be combined with A01 add-on-units line.



VERSIONS

EASY	Fresh Coffee Instant Product -
LM	Fresh Coffee Instant Product Fresh Milk

COLOURS










TECHNICAL DATA










Coffee hopper capacity	0.6 Kg
Instant container capacity	2.0 l
Coffee and steam boiler capacity	1.0 l each
Coffee grounds bin capacity	60 pcs
Net weight	Easy: 38 Kg - LM: 42 Kg
Gross weight	Easy: 45 Kg - LM: 49 Kg
Voltage/Total power - Easy	120V 1+N 50/60Hz 1.350W 200V 1+N 50/60Hz 1.914W 230V 1+N 50/60Hz 1.950W 240V 1+N 50/60Hz 2.124W
Voltage/Total power - LM	120V 1+N 50/60Hz 2.550W 200V 1+N 50/60Hz 3.114W 230V 1+N 50/60Hz 3.150W 240V 1+N 50/60Hz 3.160W
Display	7" Touch screen
Dimensions	W 324 x D 560 x H 717 mm

TECHNICAL DATA

Delivery spout range

95-155 mm

TECHNOLOGIES		
	FridgePlus	Detect over temperatures of milk and consequently stop milk-based drinks; detect empty milk cartons and stop milk-based drinks
	MTT Milk Pump System	An auxiliary pump, to dispense milk-based drinks at the desired temperature with a perfect foam
	PowerCleaner	Assure maximum hygiene conditions of the complete milk circuit and steam boiler through an integrated rinsing system
	MaxSave	Patented technology to maximize energy saving, guarantee high production capacity and reduce power consumption
	USB Connection	Copy and load machine parameters and settings, customize user interface graphics
	Loudspeaker	Useful speaker that allows the user to customise the machine using sounds: play music, promotions and any information via usb connection
	All in One Cleaning	All cleaning operations are completely automatic to save time and cut down on operating costs. The operator takes only few minutes to start the cleaning, which runs automatically

ADD-ON UNITS		
	Hot & Cold Plus	Compressor fridge + cupwarmer with 1st heated shelf. Specific milk tank included. Matching machines: A01-A02 range
	Fridge Plus	Fridge Plus: detect over temperatures of milk and consequently stop milk-based drinks; detect empty milk cartons and stop milk-based drinks. Matching machines: A01-A02 range
	Fridge-S	Compact, easy and perfect for all Carimali fully automatic machines. In black colour and door lock included. Match it with BlueDot, Armonia (A01) and Optima (A02) to get the best of your milk drink offer
	Fridge-S DGT	Fridge with digital temperature for BlueDot, Armonia (A01) and Optima (A02) range. In black colour and door lock included. Cupwarmer available as option
	Cup Warmer Plus	Cup warmer with three levels of which two heated. Colours available: stainless steel and white. Matching machines: A01-A02 range
	Cup Warmer	Cup warmer with three levels of which two heated - Colours available: stainless steel and white. Matching machines: A01-A02 range
	CW-S	New cup warmer with three levels of which two heated. Available in black colour and stainless steel finishing. Matching machines: BlueDot, A01-A02 range
	Instant Unit	Drinks are dispensed from the machine drink outlet, allowing to mix any type of drink. Matching machines: A01 (Mya excluded) and A02 range
	Water Tank	Tank to contain cold water. The machine is automatically stopped once the water level reaches 0.5 l. Matching machines: A01 range