

twin **mira**

UNIC

2c

☐ ☐

☐ ☐ ☐ ☐

☐ ☐ ☐ ☐

UNIC PRO

☐ ☐ ☐

mira

UNIC



The style of the Mira

Intended design for intended results and maximum performance



Extraction science and technology of the Mira



DCA group for 1 or 2
E.S.E. coffee pods

DHA group for 1 or 2
coffee capsules



First in class espresso shot maker with
consistent extractions for high quality
in the cup expectations



Steamglide Lever



Time programmable steam outlet

Over abundant steam supply with the Mira



Steamair auto-frothing system

The smoothest milk foam to build your specialty and signature espresso beverages



Models	mira	twin mira	tri mira	quattro mira
Width (cm)	34	64	86	108
Depth (cm)	57	57	57	57
Height (cm)	51	51	51	51
Weight (Kg)	39	55	76	96
Boiler capacity (L)	6.3	10.1	15.6	21.9
Voltage (V)	230V Mono (110V)	230V Mono 400V TRI+N	230V Mono 400V TRI+N	230V Mono 400V TRI+N
Power (W)	3000W (1700W)	4700W (option 3000W)	4700W	6800W

Ramel Communication - 04 93 92 00 20 - 12671.GB - Photos Aurélie Jeanmette



UNIC

UNIC

Z.I. 4e RUE - B.P. 425
06515 CARROS CEDEX 1
FRANCE
Tél. : (33) 04 92 08 62 60
Fax : (33) 04 93 29 24 23
www.unic.fr

UNIC PARIS

94/96, rue Victor Hugo
94200 IVRY-SUR-SEINE
FRANCE
Tél. : +33 (0)1 46 71 02 07
Fax : +33 (0)1 46 71 15 79
www.unic.fr

UNIC USA CORP.

12407 Mukilteo Speedway
Suite 250-B
Lynnwood, WA 98087 - USA
Tél. : +1 425 353 2700
Fax : +1 425 353 3918
www.unic-usa.com

UNIC JAPAN KK

18-5 Nihonbashi Kabuto-cho
Chuo-Ku 103-0026 TOKYO
JAPON
Tél. : +81 356 438 181
Fax : +81 356 438 838
www.unicjapan.co.jp